



## TRISOMET® U-VALUES

135mm Core = 0.15 W/m<sup>2</sup> K  
 120mm Core = 0.16 W/m<sup>2</sup> K  
 100mm Core = 0.20 W/m<sup>2</sup> K.  
 80mm Core = 0.25 W/m<sup>2</sup> K.  
 60mm Core = 0.33 W/m<sup>2</sup> K.  
 40mm Core = 0.46 W/m<sup>2</sup> K.

## Psi & f-Factor

Y = 0.098W/mK.  
 f = 0.948

STATED CALCULATION RESULTS ARE DEPENDENT ON COMPONENTS BEING AS SHOWN  
 Computer Modelled in accordance with EN ISO 10211



*Tata Steel retain the right to amend the construction and technical specifications shown on this drawing without prior notice.*

# TATA STEEL

OFFICE TEL: 01244 892199  
 TECHNICAL TEL: 01244 892133 / 34

[www.tatasteelconstruction.com](http://www.tatasteelconstruction.com)

PROJECT **TRISOMET® ROOF DETAILS**

TITLE **VERGE START PARAPET**

DRAWN BY DJC	SCALE NTS
-----------------	--------------

APPROVED BY DA	TOLERANCES
-------------------	------------

DATE <b>15/11/10</b>	DRG. No. E5-047A-01-C
-------------------------	--------------------------