



All support steelwork  
by others

© Tata Steel UK Limited.

## TRISOMET® U-VALUES

135mm Core = 0.15 W/m<sup>2</sup> K.  
120mm Core = 0.16 W/m<sup>2</sup> K.  
100mm Core = 0.20 W/m<sup>2</sup> K.  
80mm Core = 0.25 W/m<sup>2</sup> K.  
60mm Core = 0.33 W/m<sup>2</sup> K.  
40mm Core = 0.46 W/m<sup>2</sup> K.

## Psi & f-Factor

Y = 0.062W/mK.  
f = 0.918

STATED CALCULATION RESULTS ARE DEPENDENT ON COMPONENTS  
BEING AS SHOWN  
Computer Modelled in Accordance with EN ISO 10211



*Tata Steel retain the right to ammend  
the construction and technical specifications  
shown on this drawing without prior notice.*

# TATA STEEL

OFFICE TEL: 01244 892199  
TECHNICAL TEL: 01244 892133 / 34

[www.tatasteelconstruction.com](http://www.tatasteelconstruction.com)

PROJECT

TRISOMET® ROOF  
DETAILS

TITLE

VERGE END PARAPET

DRAWN BY

DJC

SCALE

NTS

APPROVED BY

PB

TOLERANCES

DATE

15/11/10

DRG. No.

E5-047B-01-C