



Where a Metal Strip is specified, Stitching Screws are to be positioned at max 300 mm centres. Where no Metal Strip is present a Grommet type fixing should be used at same spacing



NOTE: Fixing positions are indicative and rooflight to be installed as per manufacturers recommendations



NOTE: IT IS NOT RECOMMENDED TO LAP ROOF LIGHTS IN SERIES AS THIS MAY CAUSE MISALIGNMENT DUE TO VARYING TOLERANCE BETWEEN THE PANEL AND ROOF LIGHT UNITS.

# TRISOMET® U-VALUES

135mm Core = 0.15 W/m<sup>2</sup> K.  
120mm Core = 0.16 W/m<sup>2</sup> K.  
100mm Core = 0.20 W/m<sup>2</sup> K.  
80mm Core = 0.25 W/m<sup>2</sup> K.  
60mm Core = 0.33 W/m<sup>2</sup> K.  
40mm Core = 0.46 W/m<sup>2</sup> K.



Tata Steel retain the right to amend the construction and technical specifications shown on this drawing without prior notice.

**TATA STEEL**

SALES TEL: 01244 892199  
TECHNICAL TEL: 01244 892130

[www.tatasteelconstruction.com](http://www.tatasteelconstruction.com)

## PROJECT TRISOMET® ROOF DETAILS

### TITLE Roof light side Lap

DRAWN BY	JCA	SCALE	NTS
----------	-----	-------	-----

APPROVED BY	TOLERANCES
-------------	------------

DATE	13/01/09	DRG. No.	ES-017A-01-E
------	----------	----------	--------------